

ALWAYS READ LABEL INSTRUCTIONS BEFORE OPENING OR USING

Zincflo[®] Plus

LIQUID FERTILISER

GUARANTEED ANALYSIS:

Total Nitrogen (N) 56 g/L

Total Sulphur (S) 35 g/L

Zinc (Zn) 145 g/L

**A zinc based
fertiliser (chelated)
for seed treatment**



Contents: 10 L

Arysta LifeScience Australia Pty Ltd
Level 7, 435 King William Street Adelaide SA 5000
Tel: (08) 8112 0900 Fax: (08) 8112 0999



Zincflo Plus

LIQUID FERTILISER

GENERAL INSTRUCTIONS

Recommended Application Rates:

Apply to wheat, barley and oat seed at the rate of 3 L/tonne of seed.

Apply to corn seed at the rate of 4 L/tonne of seed.

METHOD OF APPLICATION

Zincflo Plus may be applied in conjunction with other compatible seed treatments, however it must be applied through a separate dosage system.

Agitate the container thoroughly before use. Care should be taken to calibrate the machine accurately to obtain an evenly applied correct dosage. Zincflo Plus may be diluted 1 part product to 1 part water prior to application if required. If applying in conjunction with other seed treatment products, ensure that a total volume of 6 L/tonne of seed is not exceeded. Mix thoroughly before use.

Ensure that all equipment is cleaned thoroughly both before and after applying this product.

COMPATIBILITY

Zincflo Plus is suitable for co-application with many commercial seed treatments. For further details contact Arysta LifeScience Australia. Do not premix Zincflo Plus with any seed treatment products, as chemical degradation may occur.

STORAGE OF TREATED SEED

Seed treated with Zincflo Plus should be sown in the season of application. Although Zincflo Plus has no effect on the storage life of treated seed, the subsequent germination and performance of such seed may be adversely affected by physical storage conditions.

STORAGE

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight and extremes of temperature.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

This product is corrosive to skin and eyes. Avoid contact with eyes and skin. When opening the container and preparing the spray wear

cotton overalls buttoned to the neck and wrists and elbow-length butyl rubber gloves and face shield or goggles. Wash hands after use. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (telephone 13 11 26).


MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Arysta LifeScience Australia Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

© Zincflo is a registered trademark of Arysta LifeScience Australia Pty Ltd.



| | |
|--|--|
| UN NO. 3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS ZINC NITRATE/ZINC SULPHATE) MARINE POLLUTANT |
| In a Transport Emergency Dial 000 Police or Fire Brigade | SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 111 ALL HOURS – AUSTRALIA WIDE |
| PG. III | HAZCHEM 2X |



Batch No:

DOM:

08/15/B